

CERTIFICATE OF COMPLIANCE

Certificate Number 20160314-E58686
Report Reference E58686-19960222
Issue Date 2016-March-14

Issued to: FRIEDRICH AIR CONDITIONING CO
SUITE 500
10001 REUNION PL
SAN ANTONIO TX 78216

**This is to certify that
representative samples of**

ROOM AIR CONDITIONERS FOR USE IN HAZARDOUS
LOCATIONS

See the addendum page for models

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety:

Standard No. ANSI/ISA 12.12.01-2013, Nonincendive
Electrical Equipment for Use in Class I and II, Division 2
and Class III, Divisions 1 and 2 Hazardous (Classified)
Locations
Standard No. CAN/CSA C22.2 No. 213-M1987, Non-
incendive Electrical Equipment for Use in Class I, Division 2
Hazardous Locations
Room Air Conditioners, UL 484,
CSA C22.2 No. 117-1970 (Reaffirmed 2007)

Additional Information:

See the UL Online Certifications Directory at
www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's
Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Assistant Chief Engineer, Global Inspection and Field Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please
contact a local UL Customer Service Representative at www.ul.com/contactus



CERTIFICATE OF COMPLIANCE

Certificate Number 20160314-E58686
Report Reference E58686-19960222
Issue Date 2016-March-14

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Models:

USL, CNL Window type room air conditioners. For Use In Class I, Groups A, B, C and D, Division 2 Hazardous Locations.

Models:

SH15L30 may be followed by A, followed by -A or -B, -C, -D
SH20L50 may be followed by A, followed by -A, -B, or -C
SH20L30 may be followed by A, followed by -A, -B, -C, or -D
SH15M30 may be followed by A, followed by -A,
SH20M30 may be followed by A or B, followed by -A,
SH20M50 may be followed by A, followed by -A
SH24M20 may be followed by A, followed by -A
SH15N30 may be followed by A, followed by -A, or SA followed by -A
SH20N30 may be followed by A or B, followed by -A, or SA or SB followed by -A
SH20N50 may be followed by A, followed by -A, or SA followed by -A
SH24N20 may be followed by A, followed by -A, or SA followed by -A



Bruce Mahrenholz, Assistant Chief Engineer, Global Inspection and Field Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus

